DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 11/05/2013 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED
		153515	B. WING			R 11/04/2013
NAME OF PROVIDER OR SUPPLIER				STREET ADDRESS, CITY, STATE, ZIP CO	DE	11/04/2010
INDIANA UNIVERSITY HEALTH ADULT DIALYSIS CENTER				2140 N CAPITOL ST INDIANAPOLIS, IN 46202		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	(EACH CORRECTIVE ACTIO CROSS-REFERENCED TO TH	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	
{V 000}	INITIAL COMMENTS		{V 00	00}		
		v-up to the ESRD federal that was conducted on				
	Survey date: November 4, 2013					
	Facility: 003229					
	Medicaid Vendor: 20					
	Surveyor: Susan E. S					
	Four Conditions for Coverage and 27 standard level deficiencies were corrected with this survey.					
		alth Adult Dialysis Center is e Conditions for Coverage				
	Quality Review: Joyco November 5	e Elder, MSN, BSN, RN , 2013				

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.